

TREATMENT	TREES/ACRE REMAINING	BA/ACRE REMAINING	% CANOPY COVER REMAINING	AVERAGE SPACING BETWEEN LEAVE TREES (if evenly-spaced) IN FEET
Clearcut w/Reserves	6-10	6-20 sq.ft.	10	85 (6 trees) – 66 (10 trees)
Seedtree	8-15	10-30 sq.ft.	20	74 (8 trees) – 54 (15 trees)
Shelterwood	15-40	30-40 sq.ft.	30	54 (15 trees) – 33 (40 trees)
Intermediate Thinning:				
a) Commercial Thin	90-110	80-110 sq.ft.	60-70	22 (90 trees) - 20 (110 trees)
b) Variable Density Thin	6-110	6-110 sq.ft.	10-70	Variable
c) Pre- commercial Thin	150-300	120-150 sq.ft.	70-90	17 (150 trees) – 12 (300 trees)

Note: Numbers in the table are based on an average tree diameter of 12" at diameter breast height (dbh).